

List of References for Chorin Lectures

August 24, 2009

References

- [1] B.J. Alder, T.E. Wainwright: Velocity autocorrelation for hard spheres. *Phys. Rev. Letters*, **18**: 988-990 (1967); Decay of the velocity autocorrelation function. *Phys. Rev. A* **1**: 18-21 (1970)
[For the Alder-Wainwright effect.]
- [2] R.A. Arratia: Coalescing Brownian motions on the line. *PhD Thesis*. University of Wisconsin, Madison 1979
[Pre-history of the Brownian Web.]
- [3] R.A. Arratia: Coalescing Brownian motions on \mathbb{R} and the voter model on \mathbb{Z} . *Incomplete manuscript* (1979) (available on request from rarratia@math.usc.edu)
[Pre-history of the Brownian Web.]
- [4] D. Amit, G.Parisi, L. Peliti: Asymptotic behavior of the ‘true’ self-avoiding walk. *Phys. Rev. B* **27**: 1635-1645 (1983)
[First paper about TSAW, no rigorous scaling and renormalization group arguments.]
- [5] M. Cranston, Y. Le Jan: Self-attracting diffusions: two case studies. *Math. Ann.* **303**: 87-93 (1995)
[Related to the Brownian Polymer model.]
- [6] M. Cranston, T. S. Mountford: The strong law of large numbers for a Brownian polymer. *Ann. Probab.* **24**: 1300-1323 (1996)
[Related to the Brownian Polymer model.]
- [7] R. L. Dobrushin, Yu. M. Suhov, J. Fritz: A.N. Kolmogorov – the founder of the theory of reversible Markov processes. *Uspekhi Mat. Nauk* **43:6**: 167-188 (1988)
[English translation: *Russian Math. Surveys* **43:6**: 157-182]
[For Yaglom reversibility.]

- [8] R. T. Durrett, L. C. G. Rogers: Asymptotic behavior of Brownian polymers. *Probab. Theory Related Fields* **92**: 337-349 (1992)
 [The Brownian Polymer model.]
- [9] L.R.G. Fontes, M. Isopi, C.M. Newman, K. Ravishankar: The Brownian Web: characterization and convergence. *Annals of Probability*, **32**: 2857-2883 (2004)
 [The Brownian Web - rediscovered and named "BW".]
- [10] I. Horváth, B. Tóth, B. Vető: Diffusive limit for Brownian polymers in $d \geq 3$. (in preparation)
 [The Gaussian stationary measure for Brownian polymers. The Relaxed Sector Condition. Applied to Brownian Polymer in $d \geq 3$.]
- [11] I. Horváth, B. Tóth, B. Vető: Diffusive limit for the myopic self-avoiding random walk in $d \geq 3$. (in preparation)
 [The Gaussian stationary measure for the myopic self-avoiding random walk. The Relaxed Sector Condition. Applied to MSAW in $d \geq 3$.]
- [12] S. Janson: *Gaussian Hilbert Spaces*. Cambridge University Press, 1997
 [For Gaussian Hilbert spaces and Fock spaces]
- [13] C. Kipnis, S.R.S. Varadhan: Central limit theorem for additive functionals of reversible Markov processes with applications to simple exclusion. *Commun. Math. Phys.* **106**: 1–19 (1986)
 [The Kipnis-Varadhan theorem appears here.]
- [14] F.B. Knight: Random walks and a sojourn density process of Brownian motion. *Trans. Amer. Math. Soc.* **109** 56-86 (1963)
 [Classical Ray-Knight theorems for simple symmetric random walk and Brownian motion.]
- [15] T. Komorowski, C. Landim, S. Olla: *Book in preparation* Springer, YYYY.
 [Monograph about homogenization, applications of Kipnis-Varadhan-type theorems.]
- [16] T. S. Mountford, P. Tarrès: An asymptotic result for Brownian polymers. *Ann. Inst. H. Poincaré – Probab. Stat.* **44**: 29-46 (2008)
 [Related to the Brownian Polymer model.]
- [17] J. R. Norris, L. C. G. Rogers, D. Williams: Self-avoiding walk: a Brownian motion model with local time drift. *Probab. Theory Related Fields* **74**: 271-287 (1987)
 [Related to the Brownian Polymer model.]
- [18] S. P. Obukhov, L. Peliti: Renormalisation of the “true” self-avoiding walk. *J. Phys. A*, **16**: L147–L151 (1983)
 [Nonrigorous renormalisation group theory of TSAW.]

- [19] S. Olla: Central limit theorems for tagged particles and for Diffusions in random environment. In: F. Comets, É. Pardoux (eds): *Milieux aléatoires Panor. Synthèses* **12**, Soc. Math. France, Paris, 2001.
 [Survey of Kipnis-Varadhan-type theorems and their applications.]
- [20] L. Peliti, L. Pietronero: Random walks with memory. *Riv. Nuovo Cimento*, **10**: 1–33 (1987)
 [Nonrigorous renormalisation group theory of TSAW.]
- [21] M. Reed, B. Simon: *Methods of Modern Mathematical Physics Vol 1: Functional Analysis*, Revised and enlarged edition, Academic Press New York, 1980.
 [Chapter VIII. for subtleties of unbounded operators.]
- [22] M. Reed, B. Simon: *Methods of Modern Mathematical Physics, Vol 2*, Academic Press New York, 1975.
 [Chapter X. for subtleties of unbounded operators.]
- [23] D. Revuz, M. Yor: *Continuous Martingales and Brownian Motion. Third Edition*, Springer, 1999
 [Concrete stochastic analysis.]
- [24] S. Sethuraman, S.R.S. Varadhan, H-T. Yau: Diffusive limit of a tagged particle in asymmetric simple exclusion processes. *Comm. Pure Appl. Math.* **53**: 972–1006 (2000)
 [Kipnis-Varadhan-type theory: the Graded Sector Condition appears here.]
- [25] B. Simon: *The $P(\phi)_2$ Euclidean (Quantum) Field Theory*. Princeton University Press, 1974.
 [For Gaussian Hilbert spaces, Fock spaces.]
- [26] F. Soucaliuc, B. Tóth, W. Werner: Reflection and coalescence between independent 1-d Brownian paths *Annales de l’Institut Henri Poincaré. Probabilités et Statistiques*, **36**: 509–545 (2000)
 [For some subtleties of the Brownian Web.]
- [27] F. Soucaliuc, W. Werner: A note on reflecting Brownian motion. *Electronic Communications in Probability*, **7**: 117–122 (2002)
 [For some subtleties of the Brownian Web.]
- [28] H. Spohn: *Large Scale Dynamics of Interacting Particles*, Springer, 1991
 [Everything you may want to know about the physically relevant questions related to dynamical aspects of interacting particle systems.]

- [29] P. Tarrès, B. Tóth, B. Valkó: Diffusivity bounds for 1d Brownian polymers. *Preprint [Estimates of diffusivity (and superdiffusive bounds) for various 1d Brownian polymers. The Gaussian stationary measure.]*
- [30] B. Tóth: Persistent random walk in random environment. *Probab. Theory Rel. Fields* **71**: 615–625 (1986)
[First non-reversible Kipnis-Varadhan-type theorem, applied to a RWRE model.]
- [31] B. Tóth: The ‘true’ self-avoiding walk with bond repulsion on \mathbb{Z} : limit theorems. *Ann. Probab.* **23**: 1523–1556 (1995)
[Limit theorems for TSAW in 1d with $t^{2/3}$ -scaling. Generalized Ray-Knight approach.]
- [32] B. Tóth: Generalized Ray-Knight theory and limit theorems for self-interacting random walks on \mathbb{Z} . *The Annals of Probability*, **24**: 1324–1367 (1996)
[Generalized Ray-Knight approach for a wide class of random walks with long memory.]
- [33] B. Tóth: Limit theorems for weakly reinforced random walks. *Studia Sci. Math. Hung.* **33**: 321–337 (1997)
[Generalized Ray-Knight approach for a wide class of random walks with long memory.]
- [34] B. Tóth: Self-interacting random motions – a survey. In: P.Rév’esz, B.Tóth (eds): *Random Walks*, Bolyai Society Mathematical Studies **9** (1999) pp. 349–384.
[Survey of methods and results about random walks with long memory in 1d.]
- [35] B. Tóth, B. Vető: paper
[Continuous time TSAW with site-repulsion, $t^{2/3}$ scaling.]
- [36] B. Tóth, W. Werner: The true self-repelling motion. *Probab. Theory Related Fields* **111**: 375–452 (1998)
[Construction of the scaling limit process. Main ingredient: construction and full analysis of the Brownian Web.]
- [37] S. R. S. Varadhan: Self-diffusion of a tagged particle in equilibrium of asymmetric mean zero random walks with simple exclusion. *Ann. Inst. H. Poincaré – Probab. et Stat.* **31**: 273–285 (1996)
[Kipnis-Varadhan-type theorem: the (Strong) Sector Condition appears here.]
- [38] A. M. Yaglom: On the statistical treatment of Brownian motion. (Russian) *Doklady Akad. Nauk SSSR* **56**: 691–694 (1947); On the statistical reversibility of Brownian motion. (Russian) *Mat. Sbornik* **24**: 457–492 (1949);
[For Yaglom-reversibility.]